Matrikelnummer:

## Homework - 2

- 1. Einstein's static universe:
  - (a) Suppose that some of the matter in Einstein's static universe is converted by stars into radiation. What will happen to the static universe? Explain your answer.
  - (b) Assume  $\rho_m = 10^{-26} kg/m^3$ , which is the critical density of our current universe. Determine a for such a static universe. How long does light need to travel once through such a universe?
- 2. Assume our universe (with K=0) would be only filled with radiation with equation of state  $w=\frac{1}{3}$ . What would its age be? What about a universe that is dominated by curvature with K=-1 ( $\rho=p=0$ )?

Let us derive the Friedmann equations from classical mechanics and thermodynamics:

3. For a test particle of mass m at a radius a(t) from the origin, Newton's second law yields

$$F = m\ddot{a}(t) = -\frac{GMm}{a(t)^2} \,. \tag{1}$$

Here M is the total mass of all matter contained inside the sphere of radius a(t). Multiply both side by  $\dot{a}(t)$  and integrate. Calculate M, assuming a uniform mass distribution  $\rho$  inside the sphere. Choose the constant of integration such that you find the first Friedmann equation

$$\left(\frac{\dot{a}(t)}{a(t)}\right)^2 + \frac{K}{a(t)^2} = \frac{8\pi G}{3}\rho. \tag{2}$$

4. Derive the continuity equation from the first law of thermodynamics

$$dE = -pdV + TdS. (3)$$

If the particle interactions in a fluid are small, then we may neglect the heat transfer and set TdS = 0. Look at a volume  $V = a(t)^3$  and derive the continuity equation.

5. Use your results from 3. and 4. to derive the second Friedmann equation

$$\frac{\ddot{a}(t)}{a(t)} = -\frac{4\pi G}{3}(\rho(t) + 3p(t)). \tag{4}$$